# SAFETY DATA SHEET



#### 1. Identification

**Product identifier FURALAC FN Mortar Powder** 

Other means of identification None

Recommended use Not available. Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

**Address** 2829 Lakeland Drive

Jackson, MS 39232

USA

After hours telephone

1-800-222-7122

number

Normal work hours

telephone number

1-877-982-7667

Website www.ergonarmor.com E-mail sds@ergon.com

**Emergency 24-hour** telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

hours

8:00 a.m. to 5:00 p.m.

# 2. Hazard(s) identification

Hazards for the product as sold

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 1

> Serious eye damage/eye irritation Category 1 Carcinogenicity Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** May cause cancer. Causes damage to organs by inhalation. Causes severe skin burns and eye

damage. Causes serious eye damage.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust or mist. Wear protective gloves/protective clothing/eye

protection/face protection. Wash thoroughly after handling.

Response Specific treatment see Section 4 of this SDS. Immediately call a POISON CENTER/doctor. IF

SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Specific treatment see Section 4 of this SDS. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wash contaminated clothing before re-use.

Storage Store locked up.

Material name: FURALAC FN Mortar Powder 5193 Version #: 05 Revision date: 12-18-2025 Issue date: 01-28-2015 Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS No./Unique ID	%
Coke (petroleum)	COKE, (PETROLEUM), CALCINED	Proprietary	60 - 80
SULPHAMIDIC ACID		5329-14-6	5 - 10

#### 4. First-aid measures

Inhalation Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel.

Call a physician if symptoms develop or persist.

Skin contact Immediately flush with plenty of water for at least 15 minutes while removing contaminated

clothing and shoes. Get medical attention. Wash clothing separately before reuse. Destroy or

thoroughly clean contaminated shoes.

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact

lenses. Get medical attention if symptoms persist.

Ingestion Rinse mouth. DO NOT induce vomiting. Get medical attention immediately. If ingestion of a large

amount does occur, call a poison control center immediately.

Most important

symptoms/effects, acute and delayed

Not available.

## 5. Fire-fighting measures

Suitable extinguishing media Water spray, water fog, CO2 or dry chemical.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Irritating and toxic gases or fumes may be released during a fire.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.

Fire fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Firefighters should wear full protective clothing including self contained breathing apparatus.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid generation and spreading of dust. Avoid inhalation of dust from the spilled material. Keep unnecessary personnel away. Stay upwind.

Methods and materials for containment and cleaning up ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharge. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk. Pick up and arrange disposal without creating dust.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

Material name: FURALAC FN Mortar Powder

SDS US

### 7. Handling and storage

**Precautions for safe handling** Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at

places where dust is formed. Do not breathe dust. Keep container closed. Use only with adequate ventilation. Do not get in eyes, on skin, on clothing. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Avoid excessive heat. Keep container in a well-ventilated place. Prevent electrostatic charge build-up by using common bonding and grounding techniques.

## 8. Exposure controls/personal protection

#### Occupational exposure limits

**ACGIH** 

ComponentsTypeValueFormPetroleum CokeTWA3 mg/m3Nuisance dust<br/>2 mg/m3Respirable dust

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Observe occupational exposure limits and minimize the risk of inhalation of dust.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Chemical goggles and face shield are recommended.

Skin protection

Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

**Other** Wear appropriate clothing to prevent any possibility of skin contact. Chemical resistant gloves.

exceeding the exposure limits.

Thermal hazards Not available.

General hygiene considerations Do not eat, drink or smoke when using the product.

#### 9. Physical and chemical properties

Physical state Solid.
Form Powder.

**Color** Dark grey to black

Odor None.

Melting point/freezing point
Boiling point or initial boiling

point and boiling range

Not available.

Not available.

Flammability Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

**Explosive limit - upper (%)** Not available.

Flash point Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

pH Not available.

Kinematic viscosity Not available.

Solubility

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Vapor pressure Not available.

Density and/or relative density Not available.

Material name: FURALAC FN Mortar Powder

Vapor density Not available.

Particle characteristics Not available.

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

**Conditions to avoid** Keep away from heat, sparks and open flame.

Incompatible materials Strong acids, alkalis and oxidizing agents. Contact with these materials may result in an

exothermic reaction characterized by heat and splattering of the chemicals.

**Hazardous decomposition** 

products

Carbon oxides. Nitrogen oxides (NOx). Sulfur oxides. Ammonia.

## 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** Irritating to respiratory system.

**Skin contact** Causes severe skin burns and eye damage.

**Eye contact** Causes serious eye damage.

**Ingestion** May be harmful if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Burning pain and severe corrosive skin damage. Contact may cause redness,

burning, drying, and cracking of the skin, and skin damage.

### Information on toxicological effects

Acute toxicity Causes skin and eye irritation. Dust irritates the respiratory system, and may cause coughing

and difficulties in breathing.

Product Species Test Results

FURALAC FN Mortar Powder

Acute Oral

ATEmix 225000 mg/kg

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not available.

Germ cell mutagenicity Not available.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Not available.

Specific target organ toxicity - Not available.

single exposure

Specific target organ toxicity - Not available.

repeated exposure

5193 Version #: 05 Revision date: 12-18-2025 Issue date: 01-28-2015

Aspiration hazard Not available.

**Chronic effects** Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity** Not expected to be harmful to aquatic organisms.

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

Disposal instructions Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazardous waste code Not applicable.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

**Contaminated packaging**Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not available.

**IMO** instruments

## 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard Skin corrosion or irritation

**categories** Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Material name: FURALAC FN Mortar Powder

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical	Yes

Substances (EINECS)

European List of Notified Chemical Substances (ELINCS) Europe No Inventory of Existing and New Chemical Substances (ENCS) Yes Japan Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) No United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

# 16. Other information, including date of preparation or last revision

Issue date 01-28-2015 **Revision date** 12-18-2025

Version # 05

References ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

> National Toxicology Program (NTP) Report on Carcinogens IARC Monographs. Overall Evaluation of Carcinogenicity

EPA: AQUIRE database

International Maritime Dangerous Goods Code

NIOSH Pocket Guide

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

> information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

Material name: FURALAC FN Mortar Powder

6/6 5193 Version #: 05 Revision date: 12-18-2025 Issue date: 01-28-2015

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).