SAFETY DATA SHEET



1. Identification

Product identifier L/F REINFORCING WOVEN MAT

Other means of identification None.

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

Address 2829 Lakeland Drive Jackson, MS 39232

USA

After hours telephone

number

Normal work hours

telephone number

1-877-982-7667

1-800-222-7122

Website www.ergonarmor.com E-mail sds@ergon.com

Emergency 24-hour telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

hours

8:00 a.m. to 5:00 p.m.

2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

Hazard symbol None. Signal word None.

Hazard statement Not applicable.

Precautionary statement

Prevention Wear protective gloves/eye protection/face protection.

Response Wash hands after handling.

Store in accordance with local/regional/national regulations. **Storage**

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with Disposal

applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|-------------------------|--------------------------|------------|-----|
| Glass, oxide, chemicals | | 65997-17-3 | 100 |

4. First-aid measures

Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately. Call a POISON CENTER or doctor/physician if you feel unwell. Call a physician if symptoms develop or persist.

Skin contact

Take off immediately all contaminated clothing. Remove and isolate contaminated clothing and shoes. Wash clothing separately before reuse. Wash off immediately with soap and plenty of cold water. DO NOT use warm water because this will open up the pores of the skin, which will cause further penetration of the fibers. DO NOT rub or scratch affected area. If skin irritation persists, call a physician.

Eye contact

DO NOT rub or scratch eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

Accidental ingestion of this material is unlikely. Rinse mouth with water and drink water to remove fibers from the throat. Do not induce vomiting. Do not use mouth-to-mouth method if victim ingested the substance. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms/effects, acute and delayed Mild skin irritation. Irritation of eyes and mucous membranes. Prolonged exposure may cause chronic effects. Irritant effects.

Indication of immediate medical attention and special treatment needed

In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water spray. Water fog. Foam. Carbon dioxide (CO2). Powder.

Not available.

Specific hazards arising from the chemical

Not a fire hazard. No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage.

Specific methods

In the event of fire, cool tanks with water spray. Move container from fire area if it can be done without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Avoid contact with skin and eyes. Avoid generation and spreading of dust. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site.

Methods and materials for containment and cleaning up

Avoid dry sweeping. Avoid dust formation. Do not create a powder cloud by using a brush or compressed air. Take up mechanically, placing in appropriate containers for disposal. Collect dust or particulates using a vacuum cleaner with a HEPA filter. After cleaning, flush away traces with water

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not get this material in contact with eyes. Do not get this material in contact with skin. Avoid breathing vapor. Do not get this material on clothing. Use personal protective equipment as required. Do not use in areas without adequate ventilation. Avoid prolonged exposure. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Keep formation of airborne dusts to a minimum.

Conditions for safe storage, including any incompatibilities

Keep product in packaging until use to minimize potential dust generation. Keep away from heat, sparks and open flame. Store in a well-ventilated place. Store in original tightly closed container. Store in a closed container away from incompatible materials. Keep away from food, drink and animal feedingstuffs.

Material name: L/F REINFORCING WOVEN MAT
5985 Version #: 02 Revision date: 08-05-2024 Issue date: 02-23-2021

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to | Chemical Hazards Recommended E | xposure Limits (REL) |
|-----------------------------------|--------------------------------|----------------------|
| Components | Tyne | Value |

| Components | Туре | Value | Form | |
|---|------|--------------|--------------------|--|
| Glass, oxide, chemicals (CAS 65997-17-3) | TWA | 3 fibers/cm3 | Fiber. | |
| | | 3 fibers/cm3 | Fibrous dust. | |
| | | 5 mg/m3 | Fiber, total | |
| | | 5 mg/m3 | fibers, total dust | |

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. Local exhaust ventilation should be provided at areas

of cutting, miling, or other similar processing to remove airborne dust and fibers.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

Other Wear long-sleeved shirt and long pants. Wear protective gloves. Avoid contact with the skin.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Thermal hazards Not available.

General hygiene considerations

Do not get in eyes. Avoid contact with eyes. Avoid contact with skin. Avoid contact with clothing. Wash hands before breaks and immediately after handling the product. Keep away from food and drink. Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.

9. Physical and chemical properties

Solid. **Appearance Physical state** Solid. **Form** Solid. Color White Odor

Odorless. Odor threshold Not available. Not available. pН Melting point/freezing point Not available.

Initial boiling point and

boiling range Flash point

Evaporation rate

Not available.

Not available. Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Vapor pressure Not available. Vapor density Not available. Relative density 2.6 (glass)

Solubility(ies)

Solubility (water) Insoluble Partition coefficient Not available.

(n-octanol/water)

Material name: L/F REINFORCING WOVEN MAT

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Viscosity Not available.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid

Avoid conditions which create dust.

Incompatible materials None known.

Hazardous decomposition

products

None under normal use conditions. Small quantities of undermined hazardous decomposition

products may be released in case of heat exposure or during a fire.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Inhalation of dusts may cause respiratory irritation.

Skin contact May be irritating to the skin. No adverse effects due to skin contact are expected.

Eye contact May be irritating to eyes.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity Not classified. Skin corrosion/irritation Not available.

Serious eye damage/eye

irritation

May cause eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product contains crystalline silica. Silica is a known carcinogen; however in this

encapsulated form the normal routes of exposure are unavailable.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Respiratory tract irritation.

Specific target organ toxicity

- repeated exposure

Not classified.

Not available. **Aspiration hazard**

Chronic effects Prolonged inhalation may be harmful. Not expected to be hazardous by OSHA criteria.

12. Ecological information

Ecotoxicity The product contains a substance which is harmful to aquatic organisms.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential Not available. Mobility in soil Not available.

Material name: L/F REINFORCING WOVEN MAT

5985 Version #: 02 Revision date: 08-05-2024 Issue date: 02-23-2021

Other adverse effects Not available.

13. Disposal considerations

Disposal instructionsDispose of contents/container in accordance with local/regional/national/international regulations.

Do not discharge into drains, water courses or onto the ground. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the

time of disposal, whether the product meets RCRA criteria for hazardous waste.

Hazardous waste codeNot applicable.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions). Avoid discharge into water courses or onto the ground.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations WARNING: This product contains a chemical known to the State of California to cause cancer and

birth defects or other reproductive harm.

International Inventories

Country(s) or region Inventory name On inventory (yes/no)*

Australia Australian Inventory of Industrial Chemicals (AICIS) Yes

Material name: L/F REINFORCING WOVEN MAT
5985 Version #: 02 Revision date: 08-05-2024 Issue date: 02-23-2021

Country(s) or region On inventory (yes/no)* **Inventory name** Domestic Substances List (DSL) Canada Yes Canada Non-Domestic Substances List (NDSL) No China Inventory of Existing Chemical Substances in China (IECSC) Yes European Inventory of Existing Commercial Chemical Substances Europe Yes (EINECS) European List of Notified Chemical Substances (ELINCS) Europe No Inventory of Existing and New Chemical Substances (ENCS) Yes Japan Existing Chemicals List (ECL) Yes Korea New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes (PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico Yes

16. Other information, including date of preparation or last revision

Issue date 02-23-2021 **Revision date** 08-05-2024

Version # 02

Further information HMIS® is a registered trade and service mark of the NPCA.

References

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

IARC Monographs, Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

Revision information Accidental release measures: Environmental precautions

Stability and reactivity: Possibility of hazardous reactions

Stability and reactivity: Reactivity Toxicological information: Eve contact Toxicological information: Eye contact

GHS: Classification

Material name: L/F REINFORCING WOVEN MAT

5985 Version #: 02 Revision date: 08-05-2024 Issue date: 02-23-2021

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).